



PRODUCT DATASHEET

Linnea series

last update 28/3/2018

DETAILS

Product Number	F16315_LINNEA-O-END-FL
Family	Linnea
Type	Accessory
Color	clear
Diameter	40 mm
Height	9,5 mm
Style	rectang
Optic Material	
Holder Material	
Fastening	clips
Status	production ready
ROHS Compliant	Yes
Date Updated	28/03/2018



OPTICAL PROPERTIES

	Viewing	Light	Effi-		
LED	Angle	Beam	ciency	cd/lm	Connector
-	sim: 0		-	sim: 0.000	-

H

G

F


E

D



C

B


A





Isometric view
Scale: 1:1



Section view A-A
Scale: 2:1



Detail B
Scale: 5:1



Notes

PCB or heatsink level.
LED location
Ensure LED fitting from a product specific 3D model available from www.ledil.com
For more details about installation please see LEDiL Installation Guide on www.ledil.com

PART	TYPE	MATERIAL	COLOR / COATING
F16315		PC	clear


MECHANICAL DRAWING

PRODUCT

F16315_LINNEA-0-END-FL

Plastic moulding general tolerances according to DIN 16901-130 and applies if not otherwise shown in the drawing.
Silicone moulding general tolerances according to ISO 3302-1 Class M3 and applies if not otherwise shown in the drawing.

FIRST ANGLE PROJECTION:




This drawing is the property of LEDiL Oy. It may not be copied or otherwise distributed without prior written permission from LEDiL Oy.

SCALE 2:1

WEIGHT 7,7 g

A3 SHEET 1/2

LEDiL®



NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.