





Datasheet

AAF Series

Available Distribution



LED



Recommend Applications



General Information




- Lens Material PC LEV1700
- Operating Temperature -40°C~+110°C
- Light Transmission Rate 400nm~900nm > 90%
- ✓ If necessary, Clean lenses with mild soap, water and soft cloth.
- ⚠ Never use any commercial cleaning solvents on lenses, like alcohol.
- ⚠ Please handle or install lenses with wearing gloves, skin oils may damage lens or its optical characteristic.

Dimensions

Part Number	Diameter	Height
LL01CR-AAF25L02 / LL01NI-AAFxxL02	Ø11.8	6.65
LL01CR-AAFxxL02-Mx-T	Ø13.55	7.25
LL01HS-AAFxxL02-Mx-T		
LL01XB-AAFxxL02-Mx-T	Ø13.5	7.25
LL01NI-QKxxL02-Mx-T		
LL01OS-AAFxxL02-Mx-T		
LL01RP-AAFxxL02-Mx-T	Ø13.5	7.35

*All dimensions are in millimeters.

Packaging Details (SPQ)



Accessories




- 6 Different Types of Holder
 - LL01CRCR10Hx
 - LL01CRMD25Hx
 - LL01CRRP25Hx
 - LL01CROR25Hx
 - LL01CRQK25Hx
 - LL01OSRD40Hx
- 3 Different Types of Tape
 - LL01A00XHNX
 - LL01A00XHVX
 - LL01A00XSMX

Mechanical Specification

*All dimensions are in millimeters.

Lens Dimension

LL01CR-AAF25L02/ LL01NI-AAF45L02 / LL01NI-AAF60L02




Assembly Instruction

Part No LL01CR-AAF25L02/ LL01NI-AAF45L02 / LL01NI-AAF60L02

Fixing Method




Luminaire Accessories



Lift lens and have its bottom aligned with the top of LED's light emitting surface.

Holder Dimension

LL01CRCR10H×



Assembly Instruction

Part No LL01CR-AAF××L02-M×-T
Holder LL01CRCR10H×
Tape LL01A00XHNX


Fixing Method



Tape




Luminaire Accessories



Holder Dimension

LL01CRMD25H×



Assembly Instruction

Part No LL01HS-AAF××L02-M×-T
Holder LL01CRMD25H×
Tape LL01A00XHVX


Fixing Method



Tape



Luminaire Accessories




Mechanical Specification

*All dimensions are in millimeters.

Holder Dimension




LL01CRRP25Hx



Assembly Instruction

Fixing Method


Part No LL01RP-AAFxxL02-Mx-T
Holder LL01CRRP25Hx
Tape LL01A00XHNX



Holder Dimension




LL01CROR25Hx



Assembly Instruction

Fixing Method


Part No LL01XB-AAFxxL02-Mx-T
Holder LL01CROR25Hx
Tape LL01A00XHNX



Holder Dimension




LL01CRQK25Hx



Assembly Instruction

Fixing Method

Part No LL01NI-QKxxL02-Mx-T
Holder LL01CRQK25Hx
Tape LL01A00XSMX




Mechanical Specification

*All dimensions are in millimeters.

Holder Dimension


LL01OSRD40Hx




Assembly Instruction

Part No LL01OS-AAFxxL02-Mx-T
Holder LL01OSRD40Hx
Tape LL01A00XHNX


Fixing Method



Photometric Distribution



Photometric Distribution




Photometric Distribution




LED


25°









45°



60°



Details by LED

Part No	Holder	Tape	LED Package Size	LED
LL01CR-AAF25L02 LL01NI-AAFxxL02 (45°/60°)	-	-	1317 / 1616 1620 / 3737	 CREE XD16  CREE XQD  LUMILEDS LUXEON TX  LUMILEDS LUXEON Z ES
LL01CR-AAFxxL02-Mx-T			3535	 CREE XHP35-HI  CREE XP-G2  CREE XPL-HI
LL01HS-AAFxxL02-Mx-T			3535	 CREE XPG  CREE XP-G3  LG Innotek H35A  NICHIA NVSxx19A  NICHIA NVSxx19B  NICHIA NVSxx19C  SAMSUNG LH351B
LL01RP-AAFxxL02-Mx-T			3535	 CREE XT-E  CREE XT-E E0  LG Innotek H35C1
LL01XB-AAFxxL02-Mx-T			1616 / 2525	 CREE XB-D  CREE XQE-HD
LL01NI-QKxxL02-Mx-T			3737	 OSRAM DURIS P8
LL01OS-AAFxxL02-Mx-T			3030	 NICHIA NF2x757A  NICHIA NF2x757D  OSRAM DURIS S5  OSRAM SQUARE  OSRAM Square Gen 3

LED	Part No	FWHM	cd / lm	IES
 CREE XB-D	LL01XB-AAF25L02-M2-T	23°	3.3	
	LL01XB-AAF45L02-M2-T	47°	1.2	
	LL01XB-AAF60L02-M2-T	61°	0.7	
 CREE XD16	LL01CR-AAF25L02	25°	3.0	
	LL01NI-AAF45L02	35°	1.8	
	LL01NI-AAF60L02	51°	0.9	
 CREE XHP35-HI	LL01CR-AAF25L02-M2-T	26°	2.7	
	LL01CR-AAF45L02-M2-T	44°	1.3	
	LL01CR-AAF60L02-M2-T	-	-	-
 CREE XPG	LL01HS-AAF25L02-M2-T	27°	2.5	
	LL01HS-AAF45L02-M2-T	56°	0.9	
	LL01HS-AAF60L02-M2-T	76°	0.5	
 CREE XP-G2	LL01CR-AAF25L02-M2-T	25°	3.1	
	LL01CR-AAF45L02-M2-T	49°	1.1	
	LL01CR-AAF60L02-M2-T	76°	0.5	
 CREE XP-G3	LL01HS-AAF25L02-M2-T	27°	2.5	
	LL01HS-AAF45L02-M2-T	43°	1.3	
	LL01HS-AAF60L02-M2-T	66°	0.6	
 CREE XPL-HI	LL01CR-AAF25L02-M2-T	26°	2.9	
	LL01CR-AAF45L02-M2-T	44°	1.3	
	LL01CR-AAF60L02-M2-T	-	-	-
 CREE XQD	LL01CR-AAF25L02	-	-	-
	LL01NI-AAF45L02	53°	0.9	
	LL01NI-AAF60L02	64°	0.6	
 CREE XQE-HD	LL01XB-AAF25L02-M2-T	22°	4.0	
	LL01XB-AAF45L02-M2-T	-	-	-
	LL01XB-AAF60L02-M2-T	73°	0.5	
 CREE XT-E	LL01RP-AAF25L02-M2-T	25°	2.9	
	LL01RP-AAF45L02-M2-T	43°	1.3	
	LL01RP-AAF60L02-M2-T	59°	0.7	
 CREE XT-E E0	LL01RP-AAF25L02-M2-T	27°	2.6	
	LL01RP-AAF45L02-M2-T	44°	1.3	
	LL01RP-AAF60L02-M2-T	-	-	-
 LG Innotek H35A	LL01HS-AAF25L02-M2-T	26°	2.8	
	LL01HS-AAF45L02-M2-T	48°	1.2	
	LL01HS-AAF60L02-M2-T	73°	0.5	
 LG Innotek H35C1	LL01RP-AAF25L02-M2-T	25°	3.1	
	LL01RP-AAF45L02-M2-T	41°	1.5	
	LL01RP-AAF60L02-M2-T	65°	0.6	
 LUMILEDS LUXEON TX	LL01CR-AAF25L02	26°	2.7	
	LL01NI-AAF45L02	50°	1.1	
	LL01NI-AAF60L02	77°	0.5	

LED	Part No	FWHM	cd / lm	IES
 LUMILEDS LUXEON Z ES	LL01CR-AAF25L02	23°	3.5	
	LL01NI-AAF45L02	39°	1.6	
	LL01NI-AAF60L02	61°	0.7	
 NICHIA NF2x757A	LL01OS-AAF25L06-M2-T	26°	2.7	
	LL01OS-AAF45L06-M2-T	39°	1.7	
	LL01OS-AAF60L06-M2-T	59°	0.7	
 NICHIA NF2x757D	LL01OS-AAF25L06-M2-T	24°	3.2	
	LL01OS-AAF45L06-M2-T	39°	1.7	
	LL01OS-AAF60L06-M2-T	58°	0.8	
 NICHIA NVSx19A	LL01HS-AAF25L02-M2-T	27°	2.4	
	LL01HS-AAF45L02-M2-T	40°	1.5	
	LL01HS-AAF60L02-M2-T	61°	0.7	
 NICHIA NVSx19B	LL01HS-AAF25L02-M2-T	28°	2.3	
	LL01HS-AAF45L02-M2-T	45°	1.3	
	LL01HS-AAF60L02-M2-T	67°	0.6	
 NICHIA NVSx19C	LL01HS-AAF25L02-M2-T	27°	2.6	
	LL01HS-AAF45L02-M2-T	42°	1.4	
	LL01HS-AAF60L02-M2-T	70°	0.6	
 OSRAM DURIS P8	LL01NI-QK25L02-M2-T	26°	2.7	
	LL01NI-QK45L02-M2-T	40°	1.5	
	LL01NI-QK60L02-M2-T	65°	0.6	
 OSRAM DURIS S5	LL01OS-AAF25L06-M2-T	20°	4.1	
	LL01OS-AAF45L06-M2-T	17°	4.8	
	LL01OS-AAF60L06-M2-T	52°	0.9	
 OSRAM SQUARE	LL01OS-AAF25L06-M2-T	24°	3.1	
	LL01OS-AAF45L06-M2-T	45°	1.3	
	LL01OS-AAF60L06-M2-T	63°	0.7	
 OSRAM Square Gen 3	LL01OS-AAF25L06-M2-T	27°	2.6	
	LL01OS-AAF45L06-M2-T	-	-	-
	LL01OS-AAF60L06-M2-T	65°	0.6	
 SAMSUNG LH351B	LL01HS-AAF25L02-M2-T	27°	2.5	
	LL01HS-AAF45L02-M2-T	46°	1.2	
	LL01HS-AAF60L02-M2-T	77°	0.5	

Product Nomenclature

Ledlink Led Type Lens Angle Holder
LL 01 CR -AAF 25 L02 -M2 -T
Lens Dot Number Serial Number Type of Material Tape

Ledlink Optics, Inc

Taiwan HQ

15F, No.655, Bannan Rd., Chung-Ho Dist.,
New Taipei City, Taiwan 235

Ledlink Optics (Dongguan) Co., Ltd

Dongguan Factory

No.5, TianKeng Industrial Dist., HengLi Town, DongGuan City,
GuangDong Province, China 523478

Ledlink Optics (Yangzhou) Co., Ltd

Yangzhou Factory

No.180, LinJiang Rd., YangZhou City, Jiangsu Province, China 225009

www.ledlink-optics.com

service@ledlink-optics.com

