

DATASHEET

S01.01.01.305_FRANKLIN-24-T4

Street Lighting:

IESNA Type IV (short) beam .

173x 71 mm, 24 leds for up to 5050 size LED packages.


1.General Information

Lens Material	: PC
Size	: 173X71mm
typ.FWHM	: Asymmetric
Design LED	: Luxeon 5050 Square LES 6V
Compatibility	: 5050/3535/3030/2835
typ.Efficiency	: 89%
Fasten	: Screw
IP class	: IP66
Zhaga	: N/A
RoHS	: YES
Color	: Clear



2.MECHANICAL SPECIFICATION

UNIT:mm



Dimensions with unmarked tolerances refer to GBT14486 tolerance table.

3. OPTICAL RESULTS

1) PHOTOMETRIC DATA(MEASURED):



LED model Luxeon 5050 Square LES 6V


Light colour White

LEDs/each optic 1

FWHM Asymmetric

Required components:

N/A



4.Usage and Maintenance

- 1) If necessary, clean lenses with mild soap, water and soft cloth.
- 2) Never use any commercial cleaning solvents on lenses, like alcohol.
- 3) Please handle lens with wearing gloves, skin oils may damage lens or its optical characteristic.

5.Note

Please test the data again before using. The chart data is for reference only.

The appearance and specifications of the product can be changed to improve the quality and/or performance without notice.

SUNLUMIN OPTICS CO., LTD

5010, Plant 2, No.30, Liuhe Road, Liuyue Community,
Henggang Str, Longgang District, Shenzhen

E
info@sunlumin-optics.com

www.
sunlumin-optics.com